

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	504	719/321,327.ccls.	USPAT	OR	OFF	2007/10/15 14:44
S2	909	719/321,327.ccls.	US-PGPUB; USPAT	OR	OFF	2007/10/15 14:44
S3	72827	device\$3 with drive\$3 same interfac\$3	US-PGPUB; USPAT	OR	OFF	2007/10/15 14:46
S4	42239	device\$3 with drive\$3 with interfac\$3	US-PGPUB; USPAT	OR	OFF	2007/10/15 14:45
S5	446	S2 and S4	US-PGPUB; USPAT	OR	OFF	2007/10/15 14:46
S6	42239	device\$3 with drive\$3 with interfac\$3	US-PGPUB; USPAT	OR	OFF	2007/10/15 14:47
S7	446	S2 and S6	US-PGPUB; USPAT	OR	OFF	2007/10/15 14:47
S8	14225	device\$3 near2 drive\$3 with interfac\$3	US-PGPUB; USPAT	OR	OFF	2007/10/15 14:48
S9	352	S2 and S8	US-PGPUB; USPAT	OR	OFF	2007/10/15 14:48
S10	4533	device\$3 near2 drive\$3 near2 interfac\$3	US-PGPUB; USPAT	OR	OFF	2007/10/15 14:48
S11	213	S2 and S10	US-PGPUB; USPAT	OR	OFF	2007/10/15 14:48
S12	3817	device\$3 near2 driver\$3 near2 interfac\$3	US-PGPUB; USPAT	OR	OFF	2007/10/15 14:49
S13	209	S2 and S12	US-PGPUB; USPAT	OR	OFF	2007/10/15 14:49
S14	127	S1 and S12	US-PGPUB; USPAT	OR	OFF	2007/10/15 14:49
S15	149	device\$3 near2 driver\$3 near2 intermedia\$5	US-PGPUB; USPAT	OR	OFF	2007/10/15 14:49
S16	10	S1 and S15	US-PGPUB; USPAT	OR	OFF	2007/10/15 14:49
S17	14	S2 and S15	US-PGPUB; USPAT	OR	OFF	2007/10/15 14:49
S18	1	("7334087").PN.	USPAT	OR	OFF	2008/03/18 15:22
S19	1	("6856962").PN.	USPAT	OR	OFF	2008/03/18 15:24

S20	0	unocup\$5 with time\$3 with schedul\$3 with (user\$3 or client\$3)	USPAT	OR	OFF	2008/03/18 16:13
S21	3	unoccup\$5 with time\$3 with schedul\$3 with (user\$3 or client\$3)	USPAT	OR	OFF	2008/03/18 16:14
S22	15	seat\$5 with time\$3 with schedul\$3 with (user\$3 or client\$3)	USPAT	OR	OFF	2008/03/18 16:17
S23	1	("7111251").PN.	USPAT	OR	OFF	2008/03/19 10:56
S24	7	unoccup\$5 with time\$3 with schedul\$3 with (user\$3 or client\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 10:58
S25	201	(free\$3 or unoccup\$5) with time\$3 with schedul\$3 with (user\$3 or client\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 11:02
S26	4	(S25 and virus\$5)	US-PGPUB; USPAT	OR	OFF	2008/03/19 11:23
S27	1310	(free\$3 or unoccup\$5) with time\$3 with schedul\$3	US-PGPUB; USPAT	OR	OFF	2008/03/19 11:24
S28	49	(S27 and virus\$5)	US-PGPUB; USPAT	OR	OFF	2008/03/19 11:25
S29	307	(free\$3 or unoccup\$5 or idle\$3) with time\$3 with schedul\$3 with (user\$3 or client\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 11:40
S30	2232	(free\$3 or unoccup\$5 or idle\$3) with time\$3 with schedul\$3	US-PGPUB; USPAT	OR	OFF	2008/03/19 11:48
S31	90	(free\$3 or unoccup\$5 or idle\$3) with time\$3 with schedul\$3 .ab.	US-PGPUB; USPAT	OR	OFF	2008/03/19 11:48
S32	368	(free\$3 or unoccup\$5 or idle\$3) with time\$3 with schedul\$3 with (machine\$3 or devic\$3 or computer\$3 or station\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 11:53
S33	114	(free\$3 or unoccup\$5 or idle\$3) with time\$3 with schedul\$3 with (machine\$3 or devic\$3 or computer\$3 or station\$3)same (user\$3 or client\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 11:53

S34	2897	(usag\$3 or user\$2) with time\$3 with schedul\$3 with (machine\$3 or devic\$3 or computer\$3 or station\$3) same (user\$3 or client\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 11:58
S35	2880	(usag\$3 or user\$2) with time\$3 with schedul\$3 with (machine\$3 or devic\$3 or computer\$3 or station\$3) with (user\$3 or client\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 11:59
S36	12144	(usag\$3 or user\$2) with time\$3 with schedul\$3 with (user\$3 or client\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 11:59
S37	12269	(usag\$3 or use\$2) with time\$3 with schedul\$3 with (user\$3 or client\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 11:59
S38	115	(usag\$3 or user\$2) with time\$3 with schedul\$3 with (machine\$3 or devic\$3 or computer\$3 or station\$3) with (user\$3 or client\$3).ab.	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:00
S39	0	(unoccup\$2 or occup\$5) with time\$3 with schedul\$3 with (machine\$3 or devic\$3 or computer\$3 or station\$3) with (user\$3 or client\$3).ab.	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:02
S40	10	(unoccup\$2 or occup\$5) with time\$3 with schedul\$3 with (machine\$3 or devic\$3 or computer\$3 or station\$3) with (user\$3 or client\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:02
S41	89	(unoccup\$2 or occup\$5) with time\$3 with schedul\$3 with (machine\$3 or devic\$3 or computer\$3 or station\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:03
S42	26	(unoccup\$2 or occup\$5) near2 time\$3 with schedul\$3 with (machine\$3 or devic\$3 or computer\$3 or station\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:07
S43	12	unoccup\$5 with time\$3 with (user\$3 or client\$3) same schedul\$3	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:08

S44	15	("4807154"   "4807155"   "4817018"   "4819191"   "4831552"   "4866611"   "5070470"   "5093901"   "5261045"   "5303145"   "5519606"   "5774867"   "5781731"   "5974394"   "6101480").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/19 12:10
S45	49	unoccup\$5 with time\$3 with (computer\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:18
S46	286	unoccup\$5 with time\$3 with (computer\$3 or station\$3 or device\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:23
S47	175	unoccup\$5 with time\$3 with (computer\$3 or station\$3 )	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:24
S48	86	unoccup\$5 with time\$3 . ab.	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:26
S49	62	unoccup\$5 with time\$3 with schedul\$3	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:28
S50	28	unoccup\$5 with time\$3 same schedul\$3 same (user\$3 or client\$3f)	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:32
S51	53	unoccup\$5 same time\$3 same schedul\$3 same (user\$3 or client\$3f)	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:34
S52	13	("20020095537"   "20020103982"   "20040030852"   "20040044830"   "20040044854"   "5485606"   "5819296"   "5926836"   "6185621"   "6353878"   "6434681"   "6477628"   "6675257"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/19 12:35
S53	627	available\$3 with time\$3 with schedul\$3 with (cpu \$3 or computer\$3 or processor\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:42
S54	26	available\$3 with time\$3 with schedul\$3 with (cpu \$3 or computer\$3 or processor\$3).ab.	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:42
S55	130	available\$3 with time\$3 with schedul\$3 with (cpu \$3 or computer\$3 or processor\$3)with (user\$3 or client\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:45

S56	627	available\$3 with time\$3 with schedul\$3 with (cpu \$3 or computer\$3 or processor\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:53
S57	55	available\$3 near2 time\$3 near2 schedul\$3 with (cpu \$3 or computer\$3 or processor\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:53
S58	56	(usage\$3 or available\$3 ) near2 time\$3 near2 schedul\$3 with (cpu\$3 or computer\$3 or processor \$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:59
S59	222	(usage\$3 or available\$3 ) near2 time\$3 with schedul \$3 with (cpu\$3 or computer\$3 or processor \$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 12:59
S60	98	(usage\$3 or available\$3 ) with time\$3 with schedul \$3 with (cpu\$3 or computer\$3 or processor \$3)and "709"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2008/03/19 13:11
S61	122	(usage\$3 or available\$3 ) near time\$3 with schedul \$3 with (cpu\$3 or computer\$3 or processor \$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 13:15
S62	0	(usage\$3 or available\$3 ) near2 time\$3 with schedul \$3 with (cpu\$3 or computer\$3 or processor \$3).707/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2008/03/19 13:17
S63	20	(usage\$3 or available\$3 ) near2 time\$3 with schedul \$3 with (cpu\$3 or computer\$3 or processor \$3) and "707"/\$.ccls.	US-PGPUB; USPAT	OR	OFF	2008/03/19 13:17
S64	9167387	(usage\$3 or available\$3 ) near2 time\$3 with schedul \$3 with (cpu\$3 or computer\$3 or processor \$3) a	US-PGPUB; USPAT	OR	OFF	2008/03/19 13:19
S65	222	(usage\$3 or available\$3 ) near2 time\$3 with schedul \$3 with (cpu\$3 or computer\$3 or processor \$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 13:19
S66	5545	(usage\$3 or available\$3 ) near2 time\$3 with (cpu\$3 or computer\$3 or processor\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/19 13:20

S67	126	(usage\$3 or available\$3 ) near2 time\$3 with (cpu\$3 or computer\$3 or processor\$3).ab.	US-PGPUB; USPAT	OR	OFF	2008/03/19 13:20
S68	1	("5442791").PN.	USPAT	OR	OFF	2008/03/27 12:49
S69	3	(receiv\$5 or respons\$5) with rule with file\$3 with (perform\$3 or execut\$3 ) with command\$3	USPAT	OR	OFF	2008/03/31 12:04
S70	17	(receiv\$5 or respons\$5) with rule with file\$3 with command\$3	USPAT	OR	OFF	2008/03/31 12:09
S71	32	(receiv\$5 or respons\$5) with rule with file\$3 with command\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 12:16
S72	664	(receiv\$5 or respons\$5) with rule with command \$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 12:23
S73	47	(receiv\$5 or respons\$5) with rule with command \$3 same file\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 12:23
S74	43	(receiv\$5 or respons\$5) with rule with command \$3 .ab.	US-PGPUB; USPAT	OR	OFF	2008/03/31 12:26
S75	0	(receiv\$5 or respons\$5) near2 rule%3 near3 command\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 12:31
S76	123	(receiv\$5 or respons\$5) near2 rule\$3 near3 command\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 12:31
S77	522882	(receiv\$5 or respons\$5) near2 rule\$3 withn command\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 12:39
S78	229	(receiv\$5 or respons\$5) near2 rule\$3 with command\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 12:39
S79	1	("20040223910").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/31 13:13
S80	1	("20040233910").PN.	US-PGPUB; USPAT	OR	OFF	2008/03/31 13:14
S81	1	("6535518").PN.	USPAT	OR	OFF	2008/03/31 13:32
S82	838	(receiv\$5 or respons\$5 or sen\$3) with rule with command\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 14:34
S83	50	(receiv\$5 or respons\$5 or sen\$3) with rule with command\$3.ab.	US-PGPUB; USPAT	OR	OFF	2008/03/31 14:37

S84	3	(receiv\$5 or respons\$5 or sen\$3) near rule near command\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 14:38
S85	17	(receiv\$5 or respons\$5 or sen\$3) near rule\$5 near command\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 14:38
S86	134	(receiv\$5 or respons\$5 or sen\$3) near rule\$5 with command\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 14:39
S87	467	file\$3 with rule\$5 with command\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 14:47
S88	28	file\$3 with rule\$5 with command\$3.ab.	US-PGPUB; USPAT	OR	OFF	2008/03/31 14:47
S89	467	file\$3 with rule\$5 with command\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 14:51
S90	82	file\$3 with rule\$5 with command\$3 same receiv\$5	US-PGPUB; USPAT	OR	OFF	2008/03/31 15:09
S91	467	file\$3 with rule\$5 with command\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 15:31
S92	14	file\$3 with rule\$5 with command\$3 with (forward\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/31 15:42
S93	1151	receiv\$5 with rule\$5 with command\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 15:45
S94	69	receiv\$5 with rule\$5 with command\$3 .ab.	US-PGPUB; USPAT	OR	OFF	2008/03/31 15:46
S95	2365843	receiv\$5 with rule\$5 wit file\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 15:48
S96	1224	receiv\$5 with rule\$5 with file\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 15:48
S97	54	receiv\$5 with rule\$5 with file\$3.ab.	US-PGPUB; USPAT	OR	OFF	2008/03/31 15:48
S98	45	receiv\$5 with rule\$5 with file\$3 with instruction\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 15:51
S99	95	receiv\$5 with rule\$5 with file\$3 same instruction\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 16:00
S100	1438	receiv\$5 with rule\$5 with instruction\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 16:06
S101	50	receiv\$5 with rule\$5 with instruction\$3.ab.	US-PGPUB; USPAT	OR	OFF	2008/03/31 16:06
S102	252	receiv\$5 near2 rule\$5 with instruction\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 16:16
S103	45	receiv\$5 with file\$3 with rule\$5 with instruction\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 16:39
S104	95	receiv\$5 with file\$3 with rule\$5 same instruction\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 16:39

S105	375	receiv\$5 with file\$3 with rule\$5 same (message\$3 or instruction\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/31 16:40
S106	289	receiv\$5 with file\$3 with rule\$5 with (message\$3 or instruction\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/31 16:40
S107	32	receiv\$5 with file\$3 near2 rule\$5 with (message\$3 or instruction\$3)	US-PGPUB; USPAT	OR	OFF	2008/03/31 16:40
S108	336	receiv\$5 with file\$3 near2 rule\$5	US-PGPUB; USPAT	OR	OFF	2008/03/31 16:44
S109	19	receiv\$5 with file\$3 near2 rule\$5 with execut\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 16:44
S110	79	receiv\$5 with file\$3 with rule\$5 with execut\$3	US-PGPUB; USPAT	OR	OFF	2008/03/31 16:46
S111	54	receiv\$5 with file\$3 with rule\$5 .ab.	US-PGPUB; USPAT	OR	OFF	2008/03/31 16:49
S112	1	("4672763").PN.	USPAT	OR	OFF	2008/04/02 14:24
S113	1	("4642763").PN.	USPAT	OR	OFF	2008/04/02 14:25
S114	12	(INI or initial\$5) with file \$3 with rule\$3 with (command\$3 or instruction \$3)	USPAT	OR	OFF	2008/04/02 14:41
S115	25	(INI or initial\$5) with file \$3 with rule\$3 with (command\$3 or instruction \$3)	US-PGPUB; USPAT	OR	OFF	2008/04/02 14:46
S116	1	("4354227").PN.	USPAT	OR	OFF	2008/04/17 13:34
S117	1	("4961224").PN.	USPAT	OR	OFF	2008/04/17 13:52
S118	101	(batch\$3 or sequen\$5 or seri\$5) with file\$3 with (application\$3 or program \$3 or software\$3) with rul \$5	USPAT	OR	OFF	2009/03/17 12:02
S119	18	(batch\$3 or sequen\$5 or seri\$5) with (command\$3 or instruction\$3 or message\$3) with file\$3 with (application\$3 or program\$3 or software\$3) with rul\$5	USPAT	OR	OFF	2009/03/17 12:05



S120	37	(batch\$3 or sequen\$5 or seri\$5) with (command\$3 or instruction\$3 or message\$3) with file\$3 with (application\$3 or program\$3 or software\$3) with rul\$5	US-PGPUB; USPAT	OR	OFF	2009/03/17 12:05
S121	16	(batch\$3 ) with file\$3 with (application\$3 or program\$3 or software\$3) with rul\$5	US-PGPUB; USPAT	OR	OFF	2009/03/17 12:09
S122	1	(batch\$3 ) with file\$3 with (wrap\$3) with rul\$5	US-PGPUB; USPAT	OR	OFF	2009/03/17 13:15
S123	93	(batch\$3 ) with file\$3 with rul\$5	US-PGPUB; USPAT	OR	OFF	2009/03/17 13:15
S124	29	(batch\$3 ) with file\$3 with (application\$3 or program\$3 or software\$3) with (condition\$3 or criteri\$5)	US-PGPUB; USPAT	OR	OFF	2009/03/17 18:56
S125	140	(batch\$3 ) with file\$3 with (condition\$3 or criteri\$5)	US-PGPUB; USPAT	OR	OFF	2009/03/17 19:01
S126	805	allocat\$5 with resource\$5 with environment\$3	USPAT	OR	OFF	2009/03/19 17:29
S127	1	("6377991").PN.	USPAT	OR	OFF	2009/03/19 17:30
S128	1	(obtain\$3 or collect\$5) with environment\$3 with allocat\$5 with resource\$3 with request\$5	USPAT	OR	OFF	2009/03/20 13:39
S129	11	(obtain\$3 or collect\$5) with environment\$3 with allocat\$5 with resource\$3 with request\$5	US-PGPUB; USPAT	OR	OFF	2009/03/20 20:20
S130	0	(obtain\$3 or collect\$5) with environment\$3 with type\$3 with allocat\$5 with resource\$3 with request\$5	US-PGPUB; USPAT	OR	OFF	2009/03/21 07:51
S131	21	(obtain\$3 or collect\$5) with type\$3 with allocat\$5 with resource\$3 with request\$5	US-PGPUB; USPAT	OR	OFF	2009/03/21 07:51
S132	0	(obtain\$3 or collect\$5) with architech\$3 with allocat\$5 with resource\$3 with request\$5	US-PGPUB; USPAT	OR	OFF	2009/03/21 08:34

S133	2	(obtain\$3 or collect\$5) with archit\$9 with allocat \$5 with resource\$3 with request\$5	US-PGPUB; USPAT	OR	OFF	2009/03/21 08:35
S134	52	(obtain\$3 or collect\$5) with archit\$9 with allocat \$5 with resource\$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 08:36
S135	2	(obtain\$3 or collect\$5) with compati\$9 with environment\$5 with allocat \$5 with resource\$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 08:39
S136	95	(obtain\$3 or collect\$5) with environment\$5 with allocat\$5 with resource\$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 08:40
S137	105	(obtain\$3 or collect\$5) with environment\$5 with allocat\$5 same resource \$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 09:04
S138	173	(obtain\$3 or collect\$5) with (type\$3 or architec \$6) with allocat\$5 same resource\$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 09:06
S139	32	(obtain\$3 or collect\$5) with (type\$3 or architec \$6) with allocat\$5 same resource\$3 and "718"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2009/03/21 10:46
S140	30	(obtain\$3 or collect\$5) with (type\$3 or architec \$6) with allocat\$5 same resource\$3 and "709"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2009/03/21 14:06
S141	4	(obtain\$3 or collect\$5) with (type\$3 or architec \$6) with allocat\$5 same resource\$3 .ab.	US-PGPUB; USPAT	OR	OFF	2009/03/21 14:12
S142	173	(obtain\$3 or collect\$5) with (type\$3 or architec \$6) with allocat\$5 same resource\$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 14:13
S143	393	(obtain\$3 or collect\$5) with (type\$3 or architec \$6) same allocat\$5 same resource\$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 14:21
S144	4355985	(obtain\$3 or collect\$5) with env non\$3 environment\$3 with allocat \$5 with resource\$3	USPAT	OR	OFF	2009/03/21 14:58

S145	0	(obtain\$3 or collect\$5) with non\$3 with environment\$3 with allocat \$5 with resource\$3	USPAT	OR	OFF	2009/03/21 14:58
S146	0	(obtain\$3 or collect\$5) with non\$3 with native\$3 with environment\$3 with allocat\$5	USPAT	OR	OFF	2009/03/21 14:58
S147	0	(obtain\$3 or collect\$5) with non\$3 with native\$3 with environment\$3 with allocat\$5	US-PGPUB; USPAT	OR	OFF	2009/03/21 14:59
S148	3	(obtain\$3 or collect\$5) with non\$3 with native\$3 with environment\$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 14:59
S149	7	resourc\$5 with non\$3 with native\$3 with environment\$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 15:01
S150	1106	non\$3 with native\$3 with environment\$3	US-PGPUB; USPAT	OR	OFF	2009/03/21 15:02
S151	26	non\$3 with native\$3 with environment\$3 and "718"/ \$.ccls.	US-PGPUB; USPAT	OR	OFF	2009/03/21 15:02
S152	0	(obtain\$3 or collect\$5) with environment\$3 with allocat\$5 with resource\$3 with heterogen\$9	USPAT	OR	OFF	2009/03/21 15:15
S153	1	(obtain\$3 or collect\$5) with environment\$3 with resource\$3 with heterogen \$9	USPAT	OR	OFF	2009/03/21 15:15
S154	31	grid\$3 with resource\$3 with manager\$5	USPAT	OR	OFF	2009/03/23 12:47
S155	10	S154 and hetero\$8	USPAT	OR	OFF	2009/03/23 12:51
S156	200	grid\$3 with resource\$3 with manager\$5	US-PGPUB; USPAT	OR	OFF	2009/03/23 12:56
S157	10	S156 and hetero\$8	USPAT	OR	OFF	2009/03/23 12:56
S158	75	grid\$3 with resource\$3 with manager\$5 same (local\$3 or global\$5)	US-PGPUB; USPAT	OR	OFF	2009/03/23 13:56
S159	107	grid\$3 with resource\$3 with manage\$9 same (local\$3 or global\$5)	US-PGPUB; USPAT	OR	OFF	2009/03/23 13:57
S160	29	grid\$3 with resource\$3 with manage\$9 same (other\$5)	US-PGPUB; USPAT	OR	OFF	2009/03/23 14:01

S161	266	grid\$3 with resource\$3 same manager\$9	US-PGPUB; USPAT	OR	OFF	2009/03/23 14:03
S162	27	grid\$3 with resource\$3 same manager\$9 same other\$5	US-PGPUB; USPAT	OR	OFF	2009/03/23 14:08
S163	0	native\$3 with archite\$6 with request\$3 with allocat\$3 with resource\$5	USPAT	OR	OFF	2009/11/06 11:27
S164	0	native\$3 with archite\$6 with allocat\$3 with resource\$5	USPAT	OR	OFF	2009/11/06 11:27
S165	3	native\$3 with archite\$6 with allocat\$3	USPAT	OR	OFF	2009/11/06 11:28
S166	44	archite\$6 with allocat\$3 with resource\$3 with request\$5	USPAT	OR	OFF	2009/11/06 11:30
S167	1	archite\$6 with allocat\$3 with resource\$3 with request\$5 same (heteroge \$6 or grid\$5)	USPAT	OR	OFF	2009/11/06 11:31
S168	1	archite\$6 with allocat\$3 with resource\$3 with request\$5 same (heteroge \$6 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 11:31
S169	12	archite\$6 with allocat\$3 with resource\$3 with request\$5 and (heteroge \$6 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 11:34
S170	0	compat\$7 with archite\$6 with allocat\$3 with resource\$3 with request \$5	US-PGPUB; USPAT	OR	OFF	2009/11/06 11:39
S171	5	compat\$7 same archite\$6 with allocat\$3 with resource\$3 with request \$5	US-PGPUB; USPAT	OR	OFF	2009/11/06 11:39
S172	80	archite\$6 with allocat\$3 with resource\$3 with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/06 11:41
S173	75	archite\$6 with type\$5 with allocat\$3 with resource\$3	US-PGPUB; USPAT	OR	OFF	2009/11/06 11:55
S174	106	archite\$6 with hardware \$5 with allocat\$3 with resource\$3	US-PGPUB; USPAT	OR	OFF	2009/11/06 14:54
S175	247	processor\$2 with type\$3 with allocat\$3 with resource\$3	US-PGPUB; USPAT	OR	OFF	2009/11/06 16:52

S176	35	processor\$2 with type\$3 with allocat\$3 with resource\$3 with request \$3	US-PGPUB; USPAT	OR	OFF	2009/11/06 16:53
S177	103	processor\$2 near5 type\$3 with allocat\$3 with resource\$3	US-PGPUB; USPAT	OR	OFF	2009/11/06 16:54
S178	103	processor\$2 near5 type\$3 with allocat\$3 with resource\$3	US-PGPUB; USPAT	OR	OFF	2009/11/06 17:57
S179	35	processor\$2 with type\$3 with allocat\$3 with resource\$3 with request \$5	US-PGPUB; USPAT	OR	OFF	2009/11/06 17:57
S180	247	processor\$2 with type\$3 with allocat\$3 with resource\$3	US-PGPUB; USPAT	OR	OFF	2009/11/06 17:58
S181	43	processor\$2 with type\$3 with allocat\$3 with resource\$3 and "718"/\$. ccls.	US-PGPUB; USPAT	OR	OFF	2009/11/06 17:58
S182	4	processor\$2 with type\$3 with allocat\$3 with resource\$3 with architect \$6	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:03
S183	75	type\$3 with allocat\$3 with resource\$3 with architect \$6	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:03
S184	1072	allocat\$3 with resource\$3 with architect\$6	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:04
S185	142	allocat\$3 with resource\$3 with architect\$6 with processor\$5	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:05
S186	1	processor\$2 with type\$3 with allocat\$3 with resource\$3 with (heterog \$5 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:09
S187	2	processor\$2 with type\$3 with allocat\$3 with resource\$3 same (heterog \$5 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:09
S188	2	archit\$6 with type\$3 with allocat\$3 with resource\$3 same (heterog\$5 or grid \$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:11
S189	10	archit\$6 with type\$3 same allocat\$3 with resource\$3 same (heterog \$5 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:11

S190	22	processor\$2 with type\$3 with resource\$3 same (heterog\$5 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:12
S191	17	architec\$6 with type\$3 with resource\$3 same (heterog\$5 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:12
S192	262	architec\$6 with resource \$3 same (heterog\$5 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:15
S193	14	architec\$6 with allocat\$5 with resource\$3 same (heterog\$5 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:16
S194	15	architec\$6 with processor \$5 with resource\$3 same (heterog\$5 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:17
S195	197	architec\$6 with processor \$5 with (heterog\$5 or grid \$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:24
S196	0	architec\$6 with processor \$5 with (heterog\$5 or grid \$5) with allocat\$5	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:26
S197	0	architec\$6 with processor \$5 with allocat\$5 same (heterog\$5 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:26
S198	3	architec\$6 with processor \$5 same allocat\$5 same (heterog\$5 or grid\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/06 18:26
S199	1	("4660144").PN.	USPAT	OR	OFF	2009/11/06 18:29
S200	1	("5175679").PN.	USPAT	OR	OFF	2009/11/06 18:30
S201	1	("5307495").PN.	USPAT	OR	OFF	2009/11/06 18:31
S202	1	("5506975").PN.	USPAT	OR	OFF	2009/11/06 18:32
S203	3	("20010039581"   "6199095"   "7421708"   "7426749").PN.	USPAT	OR	OFF	2009/11/06 18:37
S204	16	("20050060702"   "4660144"   "5175679"   "5307495"   "5506975"   "5659786"   "5784702"   "6247109"   "6587938"   "6597956"   "6788980"   "6978455"   "6985951"   "6996614"   "7146233"   "7272799"   "7299466"). PN.	USPAT	OR	OFF	2009/11/06 18:40

S205	12	typ\$5 with architec\$5 with allocat\$5 with processor\$5	USPAT	OR	OFF	2009/11/06 20:08
S206	2	(obtain\$3 or collect\$5) with ( archite\$9) with allocat\$5 with resource\$3 with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:15
S207	2	(obtain\$3 or collect\$5) with ( archite\$9) with allocat\$5 with resource\$3 with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:17
S208	56	(obtain\$3 or collect\$5) with ( archite\$9) with allocat\$5 with resource\$3	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:18
S209	0	type\$5 with ( archite\$9) with (processor\$3 computer\$3) with diffren \$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:23
S210	0	type\$5 with ( archite\$9) with (processor\$3 computer\$3) with diffir\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:23
S211	0	type\$5 with ( archite\$9) with (processor\$3 or computer\$3) with diffir\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:23
S212	13707	type\$5 with ( archite\$9) with (processor\$3 or computer\$3)	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:23
S213	38	type\$5 with ( archite\$9) with (processor\$3 or computer\$3) same (heterog\$5 or grid\$3)	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:23
S214	124	type\$5 with ( archite\$9) with (heterog\$5 or grid \$3)	US-PGPUB; USPAT	OR	OFF	2009/11/07 07:54
S215	0	type\$5 with ( archite\$9) with (processor\$3 or computer\$3 or nod\$3) with diffiren\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 08:40
S216	14446	type\$5 with ( archite\$9) with (processor\$3 or computer\$3 or nod\$3)	US-PGPUB; USPAT	OR	OFF	2009/11/07 08:40
S217	109	type\$5 with ( archite\$9) with (processor\$3 or computer\$3 or nod\$3) with (alloc\$5 or assign\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 08:41

S218	7	type\$5 with ( archite\$9) with (processor\$3 or computer\$3 or nod\$3) with (alloc\$5 or assign\$5) with (transf\$5 or conver \$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:28
S219	5	type\$5 with ( archite\$9) with (processor\$3 or computer\$3 or nod\$3) same (alloc\$5 or assign \$5) with (transform\$5 or conver\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:29
S220	14	type\$5 with ( archite\$9) with (processor\$3 or computer\$3 or nod\$3) same (alloc\$5 or assign\$5) same (transform\$5 or conver\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:31
S221	58	type\$5 with ( archite\$9) with (alloc\$5 or assign\$5) with (transf\$5 or conver \$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:32
S222	42	type\$5 with ( archite\$9) with (alloc\$5 or assign\$5) with (transform\$5 or conver\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:34
S223	8	type\$5 with ( archite\$9) with (processor\$3 or computer\$3 or nod\$3) with (alloc\$5 or assign\$5) same (transf\$5 or conver \$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:35
S224	760	type\$5 with (processor\$3 or computer\$3 or nod\$3) with (alloc\$5 or assign\$5) same (transf\$5 or conver \$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:36
S225	2	type\$5 with (processor\$3 or computer\$3 or nod\$3) with (alloc\$5 or assign\$5) same (transf\$5 or conver \$5) same (heter\$5 or grid \$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:36
S226	3	(type\$5 or kind\$5) with architec\$5 with resource \$3 with (processor\$3 or node\$3 or cpu\$3 or computer\$3) with (convert \$3 or transform\$3)	US-PGPUB; USPAT	OR	OFF	2009/11/07 09:38



S227	127	(type\$5 or kind\$5) with architec\$5 with (processor \$3 or node\$3 or cpu\$3 or computer\$3) with (convert \$3 or transform\$3)	US-PGPUB; USPAT	OR	OFF	2009/11/07 10:52
S228	0	(type\$5 or kind\$5) with architec\$5 with (processor \$3 or node\$3 or cpu\$3 or computer\$3) with (convert \$3 or transform\$3) with (obtain\$5 or collect\$5)	US-PGPUB; USPAT	OR	OFF	2009/11/07 11:01
S229	33	architec\$5 with (processor \$3 or node\$3 or cpu\$3 or computer\$3) with (convert \$3 or transform\$3) with (request\$3)	US-PGPUB; USPAT	OR	OFF	2009/11/07 11:03
S230	40	(obtain\$3 or collec\$5) with architec\$5 with (computer\$3 or nod\$3 or cpu\$3 or processor\$3) with (transform\$3 or convert\$3)	US-PGPUB; USPAT	OR	OFF	2009/11/07 11:06
S231	34	architec\$5 with (computer \$3 or nod\$3 or cpu\$3 or processor\$3) with (transform\$3 or convert \$3) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 11:13
S232	39	(obtain\$3 or collect\$5) with type\$3 with (computer\$3 or nod\$3 or cpu\$3 or processor\$3) with (transform\$3 or convert\$3) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 11:14
S233	0	(obtain\$3 or collect\$5) with architec\$3 with (computer\$3 or nod\$3 or cpu\$3 or processor\$3) with (transform\$3 or convert\$3) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 11:17
S234	1	("7162617").PN.	USPAT	OR	OFF	2009/11/07 11:50
S235	1	("6014723").PN.	USPAT	OR	OFF	2009/11/07 14:57
S236	6	("20020169945"   "5925124"   "6014735"   "6154819"   "6760832"   "6917997").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/11/07 15:07

S237	3964549	(obtain\$5 or collect\$5) witharchite\$5 with (processor\$3 or node\$3 or computer\$5) with (determin\$5 or identif\$5) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 15:27
S238	21	(obtain\$5 or collect\$5) with archite\$5 with (processor\$3 or node\$3 or computer\$5) with (determin\$5 or identif\$5) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 15:28
S239	7	(obtain\$5 or collect\$5) with archite\$5 with (processor\$3 or node\$3 or computer\$5) with (allocat\$3 or assign\$5) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 15:33
S240	34	(obtain\$5 or collect\$5) with type\$5 with (processor\$3 or node\$3 or computer\$5) with (allocat\$3 or assign\$5) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 15:36
S241	0	(obtain\$5 or collect\$5) with archite\$5 with type \$5 with (allocat\$3 or assign\$5) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 15:37
S242	14	(obtain\$5 or collect\$5) with archite\$5 with (allocat\$3 or assign\$5) with request\$5	US-PGPUB; USPAT	OR	OFF	2009/11/07 15:37

11/ 8/ 09 11:22:32 PM

C:\ Documents and Settings\ Ctruong3\ My Documents\ EAST\ Workspaces\ 10798108.wsp